

Tata Steel Technical Standard S2651001 Supply, Erection and commissioning of network infrastructure cabling (fiber optics & copper)

Author: D.Schermer Date: 04-03-2021

Version: 1.0

Last version of document is available via <a href="http://veiligheid.tatasteel.nl/en/Regulations/Technical-nl/en/R requirements/Tata-Steel-Technical-Standards/

Information and changes

Document content: D.Schermer (with contribution of GIS), PTC EIC EAI +31 (0)251-498046 Standardisation:

ptc-adm@tatasteeleurope.com +31 (0)251-494443





© Tata Steel IJmuiden 2021

No part of this publication may be reproduced and/or made public by means of print, photocopy, microfilm or in any other way, without prior permission from Tata Steel IJmuiden.





Table of Contents

1	Intro	oduction	4
	1.1	General	4
	1.2	Scope	4
2	Cab	ling regulations	.5
3	Fibe	er Optic Cable Requirements	.5
•	3.1	Definitions	
	3.2	Cable construction Requirements	
	3.3	Fiber Optic Requirements	
	3.4	Connections	6
4	Con	per Cable Requirements	R
•	4.1	Definitions	
	4.2	Cable Requirements	
5	Pas	sive Component requirements	9
	5.1	Cabinets	
	5.2	Fiber Connection provisions	0
6	Inst	allation (Erection) Requirements1	1
	6.1	Cable Identification	
	6.2	Cable routing	1
	6.3	HDPE tubes	1
7	Tes	ting Requirements1	2
	7.1	Fiber Optic Cabling	2
	7.2	Copper Cabling1	3
8	Han	d-over procedure 1	4
	8.1	Process	4
A	ppendi	x 1: Color coding Fiber Optic Cabling Tata Steel IJmuiden1	5
A	ppendi	x 2: ISO/IEC Cabling Topology Model 11801 1	6



1 Introduction

1.1 General

This document describes the technical requirements for the supply, erection and commissioning of network infrastructural cabling and related passive network components like cabinets and connection facilities. The requirements are based on official standards and best practices on the market and aims to be supplier and support independent. From the norms and standards specified the latest version will be applicable.

1.2 Scope


The defined technical requirements are applicable for all network cabling and passive connection components, for automation, computer and/or CCTV applications, in office as well as production environment. Depending on the environment different requirement can apply.

Within TATA steel this cabling infrastructure is configured in levels as shown below (as per IEC 62443).

Within a Works Unit of Tata Steel IJmuiden the following separate networks exists:

- Level 0-2: Installation network, covering instrumentation, machine automation (PLC's/DCS) and operator interface (SCADA/HMI)
- Level 3: Production network (IJMProd) covering order management, logistic, scheduling etc.
- Level 4-5: Office network

These 3 defined groups are physically separated networks within TATA Steel. This implies each group has its own infrastructure and routers/switches



IEC 62443 Reference model



2 Cabling regulations

All newly installed data cabling (fiber optic and copper) must be in accordance with the Construction Product Regulations (CPR) standards. In the Netherlands the NEN 8012 standard must be followed. In short, this standard describes the characteristics of a cable in regards to its reaction to fire and its resistance to fire.

As of July 1 2016, cables need to have a CE marking and a Declaration of Performance (DoP).

3 Fiber Optic Cable Requirements

3.1 Definitions

3.1.1 Cable construction types (see appendix 2)

Fiber optic cabling can be divided in the following types:

<u>Infrastructural cabling (on campus between buildings (CD–BD) and within buildings (BD-FD-ID))</u> Infrastructural cables are defined as fiber optic cabling between cabinets, routed inside and/or outside through different rooms/areas.

Breakout cabling (short distance within buildings on floors (ID-CP-TO)

Breakout cables are defined as prefabricated fiber optic cabling installed in dedicated cable routing between cabinets in one room like an E-room or server room.

Patch cords

Patch cables are defined as fiber optic cabling inside cabinet(s) between different active or passive components (like patch panels and switches, preferably inside the same cabinet

3.1.2 Fiber types

Two fiber optic types exist:

Multimode Fiber (MM)

MM is used for relatively short distances, up to 550m.

Singlemode Fiber (SM)

SM is used for distances up to 80km.

3.2 Cable construction Requirements

3.2.1 Infrastructural Cabling

- Loose tube, maximum of 12 fiber per inner tube
- Longitudinally and transversely waterproof according IEC 60794-1-22 F5B
- Meets at least CPR classification cca, s1a, d1, a1 (EN 50575 / NEN 8012) when used indoor
- Halogen-free according IEC 60754-1
- Min. tensile Load (N) 1800 (operation)/3200 (installation) according IEC 60794-1-21 E1
- Min. long term Crush (N/10cm) 2000 according IEC 60794-1-21 E3
- Suitable for a temperature range of -20°C to +70°C during operation
- Rodent protection
- UV resistant
- Predicted lifetime of > 30 years



3.2.2 Breakout Cabling

- Pre-fabricated (cable including connectors. For connectors see Error! Reference source not found.)
- Semi-tight buffer
- Longitudinally and transversely waterproof according IEC 60794-1-22 F5B
- Meets at least CPR classification cca, s1a, d1, a1 (EN 50575 / NEN 8012)
- Halogen-free according IEC 60754-1
- Min. tensile Load (N) 200 (operation)/400 (installation) according IEC 60794-1-21 E1
- Min. long term Crush (N/m) 3000 according IEC 60794-1-21 E3
- Suitable for a temperature range of 0°C to +40°C during operation
- Dry (gel-free)
- Totally dielectric
- Non metallic
- Rodent protection
- Predicted lifetime of > 30 years

3.2.3 Patch Cords

- Pre-fabricated (cable including connectors. For connections see 3.4)
- Dry (gel-free)
- Totally dielectric
- Non metallic
- Self-extinguishing according IEC 60332-1-2
- Halogen-free according EN 50267 (IEC 60754)
- Low smoke emission according IEC 61034-1:2006
- Suitable for a temperature range of 0°C to +40°C during operation

3.3 Fiber Optic Requirements

3.3.1 Multimode Fiber requirements

- Core material: Silica (50/125 µm)
- Capable to transport maximum data speeds / performance of 10Gbps
- Suitable for wavelengths between 850 nm & 1300 nm
- Meet IEC 11801 3rd edition class 50/125 OM3 / EN 50173-3 standard
- Meet IEC 60793-2-10, OM3 multimode quality standard
- Attenuation coefficient of max. 2,8 dB/km (at 850 nm)
- Attenuation coefficient of max. 0,7 dB/km (at 1300 nm)
- Core coating according the KPN colour code (see appendix 1)

3.3.2 Singlemode Fiber requirements

- Core material: Silica (9/125 μm)
- Capable to transport data speeds / performance of 10Gbps
- Suitable for wavelengths between 1310nm & 1550 nm
- Meet IEC 60793-2-50, class B1.3 or ITU G.652.D OS2 Product specification
- Meet the fiber attributes of ITU-T G.652 or G.657 (11-2016)
- Attenuation coefficient of max. 0,35 dB/km (at 1310 nm)
- Attenuation coefficient of max. 0,22 dB/km (at 1550 nm)
- Coating according the KPN colour code (see appendix 1)

3.4 Connections

3.4.1 End-to-end fiber connections

End-to-end fiber connections do not contain patch cables between patch panels. If a fiber connection consists of multiple cables, an intermediate cabinet with splice facilities needs to be used.



3.4.2 Connectors

Multimode

For Multimode (MM) infrastructural cabling and breakout cabling Ultra Physical Contact (UPC) Straight Tip (ST) type connectors shall be used on both ends meeting following requirements:

Insertion Loss (IL) <0,25 dB (in accordance with IEC 61300-3-34 / Grade-B) >45 dB (in accordance with IEC 61300-3-6 / Grade-2)

For patch cords multiple connector combinations can be applicable. A multimode patch cable has an ST connector on the patch panel side.

<u>Singlemode</u>

For singlemode (SM) infrastructural cabling and breakout cabling Ultra Physical Contact (UPC) Subscriber Connector (SC) type connectors shall be used on both ends meeting following requirements:

Insertion Loss (IL) <0,25 dB (in accordance with IEC 61300-3-34 / Grade-B) >45 dB (in accordance with IEC 61300-3-6 / Grade-2)

For patch cords multiple connector combinations can be applicable. A single mode patch cord always has an SC connector on the patch panel side.

3.4.3 Pigtails

General

- Pre-fabricated (cores including connectors)
- Connections between cable fibers and pigtails shall be executed by fusion splicing

Multimode

- Fibers in accordance with 3.3.1
- Connections in accordance with 3.4.2

<u>Single</u>mode

- Fibers in accordance with 3.3.2
- Connections in accordance with 3.4.2



4 Copper Cable Requirements

4.1 Definitions

4.1.1 Cable types (appendix 2 as reference)

Copper cabling can be divided in the following types:

Industrial cabling (on campus between buildings (CD–BD) and within buildings (BD-FD-ID)) Industrial cables are defined as copper cabling installed in dedicated cable routing inside an industrial environment and as such subjected to moisture, heat, mechanical stress etc.

Office cabling (short distance within buildings on floors (ID-CP-TO)

Office cables are defined as copper cabling installed in dedicated cable routing used inside an office environment and application.

Patch cabling

Patch cables are defined as copper cabling inside cabinet(s) between different active or passive components (like patch panels and switches, preferably inside the same cabinet).

4.2 Cable Requirements

4.2.1 General requirements

- Core material: Stranded bare copper
- Number of cores: 8
- Core diameter at least AWG24
- Per 2 cores twisted to a pair
- 4 pairs in separating element
- Foil shielded (FTP)
- Cat. 6a according ANSI / TIA-568-C.1
- Meets at least CPR classification cca, s1a, d1, a1 (EN 50575 / NEN 8012)
- Halogen-free according IEC 60754-1
- Predicted lifetime of > 30 years

4.2.2 Additional Industrial requirements

- Suitable for a temperature range of -20°C to +80°C during operation
- Shielded
- Additional mechanical reinforced
- Oil and heat resistant where applicable
- UV resistant

4.2.3 Additional Office Requirements

- Suitable for a temperature range of 0°C to +40°C during operation

4.2.4 Additional Copper Patch Cabling

- Pre-fabricated (cable including connectors)
- Self-extinguishing according IEC 60332-1-2
- Halogen-free according EN 50267 (IEC 60754)
- Low smoke emission according IEC 61034-1
- Suitable for a temperature range of 0°C to +40°C during operation

4.2.5 Connectors

- RJ45 (Male)
- Cat. 6a according ANSI / TIA-568-C.1
- Pin assignment 1:1 acc. TIA 568B



5 Passive Component requirements

5.1 Cabinets

5.1.1 For central distribution (FIST)

Material Type Galvanized steel (min. 1.5 mm)
Capacity max. 10 GSS modules
IP class IP-54
Height 2000 mm
Width 1000 mm
Depth 400 mm

Plinth Yes, 100 mm all around

Number of doors 2 Access Front

Hinges 180 ° opening

Lifting lugs Yes on all 4 Top corners

Spare space > 20 %

cable inlets Bottom. Non-functional holes must

be closed

Internal wiring Colour coded (EN 60204) and

tagged at both ends

Internal components (excluding fiber components) IP-20

5.1.2 For local distribution (BUDI-M)

Material Type LSZH thermoplastic Capacity 36 splice cassettes

IP class IP-54

Internal wiring Colour coded (EN 60204) and tagged at

both ends

Internal components (excluding fiber components) IP-20

5.1.3 For end user connection (WPK)

Material Type LSZH thermoplastic Capacity 12 fiber connections

IP class IP-20

Connections SC-Duplex or single ST connectors

5.1.4 For end user connection (WPC)

Material Type Powder coated steel Capacity 12 fiber connections

IP class unspecified

Connections SC-Duplex or single ST connectors

Mounting DIN Rail



5.2 Fiber Connection provisions

5.2.1 Fiber connection modules

- Fiber Infrastructure System Technology (FIST)
- Generic Splice Shelf (GSS3)
- SOSA2 (Splice Only Sub Assembly),
- Capacity for 96 fibers (cable to cable, per GSS)
- 19" mounting
- Operating Temperature -5 °C to +45 °C

5.2.2 Fiber Splices trays

- For central distribution (FIST): 2 or 4 Single element (SE) cassettes
- For local distribution (BUDI): 4 or 8 Circuit element (SC) cassettes
- For splice fusion connections
- In a single cassette only 2 fibers (1 connection) may be splice-fused

5.2.3 Fiber patch panels

- Fibre management rings & splice bridge
- 19" mounting
- Sliding tray
- For 12 SC-Duplex or 24 single ST connectors
- Operating Temperature -5 °C to +45 °C
- Port identification



6 Installation (Erection) Requirements

6.1 Cable Identification

Each cable shall be tagged with a TATA cable number on both ends. Tags and fastening shall be durable and water, ozone and UV light resistant.

6.2 Cable routing

Cable trays and secondary cable routing

A spare space of 20% of the total section of a cable tray is required for future cables.

For the cable routing segregation as stated below is required:

- Category 1 [level 1] LV Sensitive Measuring cables, data cables, control network cables and Remote I/O bus cables, fiber optic cabling. For Category 1, closed cable trays shall be used when required by environmental conditions.
- Category 2 [level 2] LV Low power Control systems I/O, DC control and power supplies. For Category 2 open cable tray shall be used
- Category 3 [level 3] LV Power
- Category 4 [level 4] HV Power (>1000V)

For Category 3 and 4 open cable trays or cable ladders shall be used.

All cable trays, ladders, conduits and construction materials (e.g. fasteners, brackets) shall be constructed with Hot Dip Galvanized materials unless specified otherwise. Cable tray parts shall have a galvanic interconnection.

Both sides of passages of cables/cable supports through fire retention barriers shall be made fire retardant for at least 60 minutes and with certified solutions / components (e.g. according to EN 1363-1).

All secondary cable routing installed by the CONTRACTOR shall be connected to the existing grounding facilities for earthing- / equipotential bonding. The execution shall comply with the latest version of the HD (IEC) 60364 / NEN 1010 for LV.

6.3 HDPE tubes

Fiber optic cabling, when used underground, shall be installed in HDPE tubes.

For these tubes the following requirements shall be met:

- Diameter 40 mm
- Colour: blue
- Terminated on both ends with jack moon seals ensuring a Water-tight and air-tight sealing, suitable conduit or cable support
- For new main HDPE routes, a second loose identical HDPE tube shall be installed for redundancy purposes.
- Outdoor installed (in ground) HDPE tube shall be identified with a TATA identification number including date of installation and have a guaranteed readability of 30 years. They shall be installed on both ends, and at least every 3 m.



7 Testing Requirements

7.1 Fiber Optic Cabling

7.1.1 General

Certification of new Fiber Optic cabling is necessary to ensure the intended application. To validate correct installation and functionality of all glass fiber connections, the theoretical fiber attenuation shall be validated against the measured values.

The required measurements shall be executed by certified personnel and with certified measuring devices. According to the ISO/IEC 14763-3 (Testing of Optical Fiber) standard.

Each measurement shall be reported by means of an individual test sheet, containing at least the following information:

- Connection identification (GL number)
- Start and End panel
- Date
- Name of the tester
- Total length of the connection
- Calculated fiber attenuation values
- Measured fiber attenuation values
- Measured reflection (Optical Return Loss)
- The pass / fail thresholds used for validating the connection

7.1.2 Multimode test requirements

For determination of the theoretical fiber attenuation (Fa) the following formula shall be used:

Range	Formula (Fa)
850 nm	2,8 x yy km (yy length cable) + 2 x 0,5 (for 2x connector pair) + z x 0,1
	(z = fusion splices)
1300 nm	0,7 x yy km (yy length cable) + 2 x 0,5 (for 2x connector pair) + z x 0,1 (z = fusion splices)

The following values used shall be used within the formula:

Item	850 nm	1300 nm
Fiber attenuation	Max 2,8 dB / km	Max 0,7 dB / km
Connector connection	Max. 0,5 dB / pair	
Fusion splice (z)	fusion splice (z) Max 0,1 dB / fusion	

The Multimode fiber connections shall be **single sided** measured (OTDR) according to the ISO 11801. Each individual connection (connector and/or fusion splice) will also have to meet the norm. It's not allowed to compensate a "bad" fusion splice/connector with a "good" one.





7.1.3 Singlemode test requirements

For determination of the theoretical fiber attenuation (Fa) the following formula shall be used:

Range	Formula (Fa)
1310 nm	0,35 x yy km (yy length cable) + 2 x 0,5 (for 2x connector pair) + z x 0,1 (z = fusion splices)
1550 nm	0,22 x yy km (yy length cable) + 2 x 0,5 (for 2x connector pair) + z x 0,1 (z = fusion splices)

The following values used shall be used within the formula:

Item	1310 nm	1550 nm
Fiber attenuation	Max 0,35 dB / km	Max 0,22 dB / km
Connector connection	Max. 0,5 dB / pair	
Fusion splice (z)	Max 0,1 dB / fusion	

>> For Singlemode connections where $\underline{\text{existing}}$ cables are part of the entire connection, an

The Singlemode fiber connections shall be **dual sided** measured (OTDR) according to ISO 11801. Each individual connection (connector and/or fusion splice) will also have to meet the norm. It's not allowed to compensate different a "bad" fusion splice/connector with a "good "one.

7.2 Copper Cabling

The Copper network cabling need to be qualification tested, covering bandwidth qualification, cable length and wire mapping.

>> attenuation of 0,4 dB / km (1310 nm) or 0,3 dB / km (1550 nm) are accepted values.



8 Hand-over procedure

If cabling is installed by an Installation contractor other than the existing maintenance contractor and need to be part of the existing 24/7 maintenance contract the following requirements and process are mandatory.

8.1 Process

- Installation contractor will hand-over the fiber installation documentation according to the TSIJ requirements.
- Test reports of all installed connections (see 3.4) are part of the acceptance of the fiber-optic installation. All reports will be checked by TSIJ on behalf of or with support of the current maintenance support contractor.





Appendix 1: Color coding Fiber Optic Cabling Tata Steel IJmuiden

Coding	KPN (TSIJ standard)
1	(1313 standard)
2	WHITE
3	YELLOW
4	BLUE
5	GREEN
6	VIOLET
7	BROWN
8	BLACK
9	ORANGE
10	TURQUOISE
11	PINK
12	NATURAL
1	RED
2	ORANGE
3	YELLOW
4	GREEN
5	BROWN
6	BLACK
1	RED
2 3	BLUE
3	GREEN
4	YELLOW

Tube coding 6 VZLT (2 fibers per tube)

Tube	Color
1	RED
2	BLUE
3	GREEN


Tube coding 48/96 VZLT (8/12 fibers per tube)

Tube	Color
1	RED
2	GREEN
3	BLUE
4	YELLOW
5	WHITE
6	GREY
7	BROWN
8	VIOLET

S2651001 Supply, Erection and commissioning of network infrastructure cabling (fiber optics & copper)



Appendix 2: ISO/IEC Cabling Topology Model 11801



LEGEND:

CD = Campus Distributor

BD = Building Distributor

FD = Floor Distributor

ID = Intermediate Distributor

CP = Connection Point (optional)

TO = Telecommunications Outlet

TE = Terminal Equipment

NI = Network Interface