



CONSTANT FORCE POSTS FIXED DOWN IN ACCORDANCE WITH LATCHWAYS DATA SHEET 65602-CURRENT

**Trisobuild™ 'U' Values**

The depth below refers to both the minimum bracket & insulation height to achieve the stated 'U' value when using a LP1000 liner

Depth 280 = 0.15 W/m <sup>2</sup> K. (assuming an enhanced spacer)
Depth 240 = 0.18 W/m <sup>2</sup> K. (assuming an enhanced spacer)
Depth 210 = 0.20 W/m <sup>2</sup> K.
Depth 180 = 0.25 W/m <sup>2</sup> K.
Depth 140 = 0.30 W/m <sup>2</sup> K.
Depth 120 = 0.35 W/m <sup>2</sup> K.



LP51181:1 Approved  
460/14,15,16 & 23

*Tata Steel retain the right to amend the construction and technical specifications shown on this drawing without prior notice.*

**TATA STEEL**

SALES TEL: 01244 892199  
TECHNICAL TEL: 01244 892130

[www.tatasteelconstruction.com/theworks](http://www.tatasteelconstruction.com/theworks)

PROJECT	TYPICAL TRISOBUILD™ BUILT UP ROOF DETAIL
TITLE	ROOF SAFETY SYSTEM
DRAWN BY	GMC
SCALE	NTS
APPROVED BY	DA
TOLERANCES	
DATE	18/11/09
DRG. No.	R1-040-01-C